Rugged Handheld

Helio G99 octa-core CPU Running on the latest Android 14 OS;
6.56"incell screen, supports wet hand and glove touch; Front 32MP
Ultra HD lens, 48MP Samsung Main Camera; Professional 1D/2D
scanning engine, reading distance up to 10 meters; 5800mAh battery,
supports reverse charging mode;

Powerful speakers with Smart PA technology, perfect for outdoor use;

●IP68 Rating, drop resistance up to 1.5 meters.



Octa-core ARM Processor



5800mAh 17hrs+



Android 14 Operating System



Front 32MP Rear 48MP



6.56-inch Display



GPS/GLONASS/ beidou/Galileo



670cd/cm2



IP68





Rugged Handheld H68T Specifications



Operating System



Memory

RAM: 8GB LPDDR4X ROM: 128GB UFS2.2 Optional 8+256GB for batch order



Dimension/Weight 170.2*80.7*14 mm About 311g



Power & Fingerprint *1 Volume + Key *1 Volume - Key *1 Barcode Scanning Key *2

(Barcode scanning by default)



Speaker

Earphone *1 Dual-MIC Motor *1 Audio SMART PA



 \bigcirc

GPS GPS/GLONASS/Beidou/Galileo N)) NFC

Supports ISO18092, ISO14443 A/B, ISO15693 protocols, Mifare compliance Card reading distance: 0-4 cm Frequency: 13.56MHz

🔗 Adapter 33W Fast Charge Adapter

Rugged Features

Drop height:1.5m Composite wood floor working Working temperature: -20 °C to 60 °C Storage temperature: -30 °C to 70 °C Humidity: 95% Non-Condensing



Type C *1 (Charging/Data/ Earphone/Reverse Charging 6W) 2 of 3 card slot: Micro Sim+TF or Micro Sim+Nano Sim Pogo Pin (Charging) *1







Type: TFT Size: 6.56 inch 20:9 Resolution: 720*1612 Brightness: 670cd/cm2





Camera

Front 32MP(Fixed Focus) Rear Main Camera 48MP (Autofocus, Supports PDAF) Rear Secondary Camera 8MP (Wide-angle)



Battery

Built-in Polymer Lithium-ion Battery 5800mAh/3.85V Battery Life: About 17h24min


Data Collection

Integrated 1D/2D Barcode Scanner Reading Distance: 0-10m



Certification

Rugged Handheld H68T Product Six Views





Adasys GmbH Max-Planck-Str. 10 D-70806 Kornwestheim





+49 7154 8300-534
info@adasys.de
www.adasys.de